




**AT | ATB | ATC CRANE RANGE**  
TELESCOPIC BOOM TYPE

**HS**  **MARINE**

the ultimate crane specialist





## AT SERIES

Small telescopic boom type cranes of different standard capacities.  
Custom built for operation to specific sea state conditions.

AT 7 NE1	kg 2340	1320	
	m 2.50	4.30	
AT 7 NE2	kg 2255	1255	860
	m 2.55	4.35	6.15
AT 10 LNE1	kg 2820	1550	
	m 3.08	5.38	
AT 10 NE2	kg 2980	1644	1115
	m 2.93	4.98	7.03
AT 10 LNE2	kg 2700	1450	970
	m 3.18	5.48	7.78
AT 13 LHE1	kg 3320	1860	
	m 3.13	5.38	
AT 13 HE2	kg 3475	1955	1340
	m 2.95	5.00	7.05
AT 13 LHE2	kg 3175	1735	1175
	m 3.20	5.50	7.80



AT 7



AT 10



AT 13



ATB 20



ATB 22




ATB 32



## ATB SERIES

Medium to large telescopic boom type cranes of different standard capacities.  
Custom built for operation to specific sea state conditions.

ATB 14/8 E1	kg 1000	1000	
	m 5.18	8.00	
ATB 18/8 E1	kg 1500	1500	
	m 5.18	8.00	
ATB 20/8 E2	kg 1500	1500	1500
	m 4.00	6.00	8.02
ATB 20/10 E2	kg 2770	1500	1000
	m 4.38	7.18	10.00
ATB 22/7 E1	kg 2000	2000	
	m 5.08	7.00	
ATB 22/9 E1	kg 1500	1500	
	m 6.08	9.00	
ATB 25/10 E1	kg 1500	1500	
	m 6.08	10.00	
ATB 28/11 E1	kg 1500	1500	
	m 7.08	11.00	
ATB 32/8 E1	kg 4000	2500	
	m 5.31	8.00	
ATB 32/8.5 E1	kg 2600		
	m 8.33		



ATB 40



ATB 37

ATB 48



ATB 55



ATB 58

ATB 65











ATB 648














ATB 80

ATB 85



## ATC SERIES

Large telescopic boom type cranes of different standard capacities.  
Custom built for operation to specific sea state conditions.





# ATR SERIES

Low profile telescopic boom type cranes of different standard capacities.  
 Custom built for operation to specific sea state conditions.



Some of the most common options are:

### Hoisting winches options

Including various type of pulley block, boom head, counter weight, hydraulic limit switch, electrical limit switch, load read out on winch, passive heave compensation, AOPS, MOPS, emergency drum release

### Personnel lifting according to EN13852

### Centralized greasing system

### Flame metallization surface treatment

### Various operator control positions

Separate control console, integrated seat or stand console, control support on column, cabin, radio remote control, cable remote control, remote seat chair control

### Boom mounted led lights

### Power packs for deck installation or for underdeck installation

### Stainless steel cylinder rods or ceramic coated rods

### Nuts, bolts and plastic caps and plugs for crane installation



## OPTIONAL SOLUTIONS



HS.Marine offer a wide range of optional solutions for the cranes.  
 We are always available to discuss the technical specifications in order to find solutions that makes our cranes ideally suited for our customers' special application.



### Advanced safety system

Including HS.Marine Multifunction Service Unit and DiaMonD service software; local and remote operator screen with visualization of load, moment, message, warning and alarms

### Sea state selector

### Acoustic and visual alarm

### Interface with other customer's equipment and remote emergency stop in category 2

### Load radius indicator

### Design approval, inspection during fabrication, witness of FAT by classification society, crane certification

### Extra elements on distributor block with hydraulic activation till boom end for additional equipment

### Low design temperature

### Crane color

### Crane adaptor for installation on existing basements



## QUALITY SOLUTIONS QUALITY DETAILS

### MARINE DESIGN

Our cranes design has been specially developed and improved for operation in marine environment.

All structures have been designed to take up heavy lateral forces and to have a low value of elastic deflection during loading.

All parts have been designed and protected for easy maintenance.

### TRANSPORT STEEL FRAME (AT CRANES)

Together with the cranes of the AT range, we include a suitable transport frame made in steel.

The transport frames are suitable for handling by forklift and offer extra protection and easier handling for safe delivery to customer.

### DESIGNED FOR LONG LIFE

Each crane components and each crane parts are selected and designed for long life. We totally understand what downtime means in marine business and the impact of service costs.

Our goal is the reliability of the crane therefore we only use components or technical solutions of proven long lifespan.



### EASY AND TESTED INSTALLATION

HS.Marine guarantees easy installation of all cranes.

All the cranes connection points are properly prepared and clearly marked in order to make the installation as easy as possible.

We always prepare the specific interface with customer's system and we test the crane with such interface before delivery.

### LARGER PINS

In comparison to other cranes, the articulation points of our cranes are most likely bigger.

We always calculate and design the cranes to withstand side loads.

This results in larger pins.

### POWERFUL SLEWING

To guarantee higher slewing torque capability, all HS.Marine cranes are provided with slew bearings and powerful and precise gearboxes.

All HS.Marine cranes can be supplied for continuous unlimited slewing.



### EXCEPTIONAL STRENGTH AND LOW FLEXION

All structures have been designed to take up heavy lateral forces, to obtain a smooth transition between elastic and rigid point of construction and to have low value of flexion.

All articulation points are especially dimensioned to be low stress; FMECA analysis are carried out for dimensioning.

### CRANE DESIGN BASED ON RELIABILITY

We focus on quality solutions and quality of the components

### CRANE BOOM TELESCOPIC SEQUENCE

As a befitting safety issue, we underline that the crane booms respects the telescopic sequence during extension out and retraction.

### STAINLESS STEEL CONTROL POSITIONS

Control position is in stainless steel and has high protection from water spray.

### HIGH ATTENTION TO DETAILS

For the best reliability and for easy maintenance.

### SALT PROOF SEALING

We do our utmost to completely seal any exposed opening, such as the surface between two flanges, pins, plugs, umbraco bolts hearts, cylinder plugs, access holes for maintenance etc.

### SURFACE TREATMENT GIVING A LONGER LIFE

Our design, our material and component selection, our excellent surface treatment and painting procedures and our salt proof sealing, all guarantee a strong barrier against corrosion.



### DETAIL PROTECTION

All components are individually painted before assembling.

### TAGGING

Cable, hose and components are tagged with the spare parts code.

### FULLY TESTED

All our cranes are always load tested at the factory prior to delivering to our customers.

### CUSTOMER SERVICE

None of our customers are left alone. We have a global service network.

We care about our customers.

### AS BUILT DOCUMENTATION

All provided documentation is as built, extensive and specially prepared for each individual crane.

Each manual states the crane serial number and shows actual photographs taken of the crane and its many details.



## HS MARINE

HS.Marine has a wide range of **telescopic boom cranes**, for low deck space occupation and very compact recovering.

All models can be heavily customized according to the customers' special applications.

All cranes have been designed and built from the ground up for marine use and are successfully utilized in the most critical application, demonstrating reliability.

HS.Marine cranes are designed and built to last.

Low and easy maintenance, reduced spare parts consumption, smaller crane down time and significant longevity make HS.Marine the best value money can buy.

The marine environment demands equipment of the highest level of quality to ensure **reliable** and **safe** operations: HS.Marine cranes are able to satisfy these requirements.

**Through experience, service commitment and global presence we provide the best cranes and life cycle support.**

### HS.MARINE THE QUALITY SOLUTION

HS.Marine range include stiff boom, telescopic boom, knuckle boom and knuckle telescopic boom cranes.



FOLDABLE KNUCKLE & TELESCOPIC



KNUCKLE & TELESCOPIC



KNUCKLE BOOM



TELESCOPIC BOOM



STIFF BOOM



**HS.MARINE Srl**  
Via delle Querce, 1/3  
46019 Viadana (MN)  
ITALY

VAT No. IT02025300209  
+39 0375 25 48 19  
info@hsmarine.net  
www.hsmarine.net

